Measure Title	Definition	Humana MA	ABCBS MA	ABCBS CHI	MSSP	Arkansas Children's	EngageMED	Nabholz	CHI St. Vincent	Unity
Hemoglobin A1c (HbA1c) Control (=9%)</td <td>Age 18-75 with DM & last A1c <= to 9% (EBPH* & MSSP contracts - inverse measure)</td> <td>\checkmark</td> <td>\checkmark</td> <td>\checkmark</td> <td>\checkmark</td> <td>\checkmark</td> <td>\checkmark</td> <td>$\mathbf{\mathbf{\mathbf{\mathbf{\mathbf{\mathbf{\mathbf{\mathbf{\mathbf{\mathbf{\mathbf{\mathbf{\mathbf{\mathbf{\mathbf{\mathbf{\mathbf{\mathbf{$</td> <td>$\checkmark$</td> <td>$\checkmark$</td>	Age 18-75 with DM & last A1c <= to 9% (EBPH* & MSSP contracts - inverse measure)	\checkmark	\checkmark	\checkmark	\checkmark	\checkmark	\checkmark	$\mathbf{\mathbf{\mathbf{\mathbf{\mathbf{\mathbf{\mathbf{\mathbf{\mathbf{\mathbf{\mathbf{\mathbf{\mathbf{\mathbf{\mathbf{\mathbf{\mathbf{\mathbf{$	\checkmark	\checkmark
Hypertension Control	Age 18-85 with HTN & last BP <140/90mmHg	\checkmark	\checkmark	\checkmark	\checkmark	\checkmark	\checkmark	\checkmark	\checkmark	\checkmark
Breast Cancer Screening	Mammogram for women age 52-74 (ABCBS CHI/Humana MA/ABCBS MA age 52-74; MSSP age 40-74)	\checkmark	\checkmark	\checkmark		\checkmark	\checkmark	$\mathbf{>}$		\checkmark
Annual Wellness Visit	Annual wellness/comprehensive visit (EBPH* contracts age 20+, MA age 65+)	\checkmark	$\mathbf{>}$			\checkmark	\checkmark	$\mathbf{>}$		\checkmark
Immunizations for Adolescents (Combination 2)	Adolescent Immunizations (on or before 13th birthday)						\checkmark	\searrow	\checkmark	\checkmark
Childhood Immunization Status (Combination 10)	Childhood Immunizations (on or before 2nd birthday)						\checkmark	\searrow	\checkmark	\checkmark
Child and Adolescent Well-Care Visits (WCV) – Total	Annual wellness/comprehensive visit ages 3-17					\checkmark	\checkmark	$\mathbf{>}$	\checkmark	\checkmark
Hemoglobin A1c (HbA1c) Testing	Age 18-75 with DM who had a HbA1c test					\checkmark	\checkmark	\checkmark		\checkmark
Statin Therapy for Patients with Cardiovascular Disease	Age 21-75 (male) or 40-75 (female) with ASCVD who were prescribed at least 1 moderate or high intensity statin	\checkmark	\checkmark		\checkmark					
Colorectal Cancer Screening	Appropriate colorectal cancer screening ages 50-75 (MSSP age 45-75)	\checkmark	\checkmark		$\mathbf{\mathbf{\mathbf{\mathbf{\mathbf{\mathbf{\mathbf{\mathbf{\mathbf{\mathbf{\mathbf{\mathbf{\mathbf{\mathbf{\mathbf{\mathbf{\mathbf{\mathbf{$					
Diabetic Medication Adherence	Age 18 or older with DM Rx (non insulin) who fill their Rx often enough to cover 80% of the time they are supposed to be taking the Rx									
Hypertension Medication Adherence	Age 18 or older with HTN Rx (e.g. ACE inhibitors, ARBs, DRIs) who fill their Rx often enough to cover 80% of the time they are supposed to be taking the Rx									
Cholesterol Medication Adherence	Age 18 or older with cholesterol Rx (e.g. statin) who fill their Rx often enough to cover 80% of the time they are supposed to be taking the Rx	\checkmark								
Patient Experience Rating	Post-PCP visit patient expierence score based on 4 categories	\checkmark	\checkmark							
Plan All-Cause Readmission	Age 18 or older with an acute inpatient or observation stay who experience an unplanned acute readmission for any diagnosis within 30 days	\checkmark	\checkmark							
Medication Reconciliation Post-Discharge (MRP)	Age 18 or older with a medication reconciliation within 31 days of discharge	\checkmark	\checkmark							
Osteoporosis Management in Women who had a Fracture	Age 67-85 (female) with a fracture who had a bone mineral density test or osteoporosis Rx in the 6 months after fracture	\checkmark	\checkmark							
Statin Use in Persons with Diabetes	Age 40-75 who received at least 2 DM Rx fills who also received a statin Rx	\checkmark	$\mathbf{\mathbf{b}}$							
Eye Exam for Patients with Diabetes	Ages 18-75 with DM who had a retinal eye exam	\checkmark	\checkmark							
Kidney Evaluation for Patients with Diabetes	Ages 18-85 with DM who received a kidney evaluation, defined by eGFR & uACR	\checkmark	\checkmark							
Depression Screening	Age 12 or older who had depression screening								\checkmark	
Falls: Screening for Future Fall Risk	Age 65 or older screened for fall risk, had a fall, or reported problems with gait				\checkmark					
100 Day Supply Medication Conversion	Converting specific member-condition lists from 30 or 60 day supply to 90 or 100 day supply		\checkmark							
Depression Remission at Twelve Months	Age 12 or older with diagnosis of depression and PHQ- 9 result >9 who achieved remission at 12 months									
Screening for Depression and Follow-Up Plan	Age 12 or older screened for depression and, if positive, have a documented follow-up plan									
ER Visits per Thousand	Total number of ER visits not resulting in inpatient or observation stay per 1,000 assigned members	\checkmark								
Tobacco Use: Screening and Cessation Intervention	Age 18 or older screened for tobacco use one or more times within 24 months and, if positive, received cessation counseling									
Care for Older Adults - Medication Review	66 years of age or older who had at least one medication review conducted and the presence of a medication list in the EHR	\checkmark								
Opioid-Concurrent use with Benzodiazepines	Patients with concurrent use of prescription opioids & benzodiazepines			\checkmark						

Measure Title	Definition	Humana MA	ABCBS MA	ABCBS CHI	MSSP	Arkansas Children's	EngageMED	Nabholz	CHI St. Vincent	Unity
Care for Older Adults - Pain Assessment	66 years of age or older who had at least one pain assessment	\checkmark								
Rating of Health Care Quality	Overall rating of their health care among Medicare Advantage members in the previous 6 months		$\mathbf{\mathbf{\mathbf{\mathbf{\mathbf{\mathbf{\mathbf{\mathbf{\mathbf{\mathbf{\mathbf{\mathbf{\mathbf{\mathbf{\mathbf{\mathbf{\mathbf{\mathbf{$							
Follow-up after Emergency (ED) Visit for Multiple High-Risk Chronic Conditions	18 years or older with multiple high-risk conditions who had a follow-up within 7 days of an ER visit	\checkmark								
Transition of Care - Patient Engagement after Inpatient Discharge	Discharges 18 years of age or older who have follow- up within 30 days of discharge	\checkmark								
Comprehensive Diabetes Care: A1c Control + Eye Exam Completion	Age 18-75 with DM whose last A1c <=9.0% and had retinal eye exam		\checkmark							
Comprehensive Diabetes Care: A1c Control + Eye Exam Completion + Statin	Age 40-75 with DM whose last A1c <=9.0%, had a retinal eye exam, and had at least 2 DM Rx fills and a statin Rx fill		<							
Care for Older Adults - Functional Status Assessment	66 years or older who had at least one functional status assessment	\checkmark								
CAHPS for MIPS	Consumer Assessment of Healthcare Providers and Systems survey				\checkmark					
Risk-standardized, All Caused Unplanned Admission for Multiple Chronic Conditions for ACOs	Risk-standardized rate of acute, unplanned hospital admissions for patients age 65 and older with multiple chronic conditions (MCC) - 2 or more of 9 qualifying chronic conditions.				\checkmark					
Hospital-Wide, 30-day, All-Cause Unplanned Readmission (HWR) Rate for MIPS Eligible Clinician Groups	Risk-standardized readmisssion rate for patients age 65 and older who were hospitalized and experienced an unplanned readmission for any cause to a short- stay acute-care hospital within 30 days of discharge									
Influenza Immunization	Age 6 months or older who received an influenza immunization or who reported previous receipt of one									
* EBPH - Employer Based Population Health										